



Made in Austria

INNOVATIVE PRODUCTS IN ALL FIELDS.



REGENT DEVELOPS PERFECT TECHNIQUE FOR AGRICULTURE.

FOR 85 YEARS THERE ARE PRODUCED MACHINES FOR AGRICULTURE OF HIGHEST QUALITY IN THE UPPER AUSTRIAN ATTNANG-PUCHHEIM.

Longterm experience, the motivation to be better than others and high motivated staff mark up the label REGENT and this is valued by famers in whole Europe.

With REGENT you do not just choose a product – you trust in technique, which arises from an innovative family-owned enterprise. High standard in quality and perfect functional characteristics are in the foreground. Consequently products of REGENT grant highest customer satisfaction.



„WE DO NOT JUST DEVELOP AND PRODUCE MACHINES, OUR SOLUTIONS STAND FOR CUSTOMER SATISFACTION.“

THE CUSTOMER IN FOCUS.

DAY-TO-DAY THE COMPETENT SERVICE AND SALES TEAM OF REGENT CARES FOR CONFIDENT CUSTOMERS.

Continuous test inserts of machines under extremest conditions in whole Europe and an intensive customer contact contribute permanent advancements of the label – for unexcelled quality in work and highest user comfort.



REGENT IN THE OVERVIEW.

MORE THAN 100 MOTIVATED EMPLOYEES

are acting in the company REGENT.

IN THE YEAR 1925

the establishment of the company took place. Ferdinand Berger opened his first blacksmith's shop.

1946

the company Berger brings on the market the first on the tractor mounted angle plough – a novelty in the world.

1947

the company was baptized with the name REGENT. Now the family Berger leads the company business on the site in Attnang-Puchheim.

ON 3 HECTARE PREMISES

there is developed, designed, produced, tested, mounted and delivered.

IN MORE THAN 35 COUNTRIES

in whole Europe REGENT exports.

WITH MORE THAN 50 TRADING PARTNERS

national and international REGENT is near to the customer.

FROM AUSTRIAN QUALITY STEEL TO PERFECT AGRICULTURAL MACHINE.



MADE IN AUSTRIA.

AT REGENT the machines are developed in the headoffice in Attnang-Puchheim (OÖ) and in practice extensively tested and produced in series. Through the tight cooperation of technique and production it can be guaranteed that every machine is transformed down perfectly to the last detail.

WE ADJUST TO THE GROUND.

Continuous schooling and an intensive interchange with the sales and serviceteam enables the sales partners to react best as possible to customer requirements and to modulate ideally the technique from the extensive portfolio to the local conditions.

GUARANTEED QUALITY - AN ATTRIBUTE OF REGENT.

The security of the quality is on top spot. Every machine is controlled unexceptionally in detail in the procedure of production, proven and tested on a test facility on every feature. Only then the machines come into the paintwork station and to the finishing. Only through this the high demand on the quality is ensured at REGENT.

PIONEER

A special developed production process for the production of the plough bodies makes REGENT to a pioneer in the plough technique.

PRECISION

Modernest technique in production does not only guarantee highest precision in production, but also perfect efficiency of the machines for the use on the field at highest longevity.




STABILITY

Through the repeated thermic treatment of the basic material highest stability at lowest abrasion can be ensured.

HIGH CLASS WORKMANSHIP

Every machine is mounted per hand and accompanied by experienced employees.



»THE EXPECTATIONS ON OUR PRODUCTS ARE VERY HIGH. WE DON'T JUST WANT TO MEET THEM, OUR QUALITY SHOULD INSPIRE!«

Anton Lacher, direction mounting

INNOVATIVE PRODUCTS IN ALL FIELDS.

EVERY MACHINE AN UNIQUE SPECIMEN.

Due to the voluminous possibilities of equipment every machine which leaves the house is going to be an unique specimen. All working machines can be equipped or mounted with the most different supplementary equipment. Also there is a big choice of after-running roller-systems for an ideal re-solidification. At REGENT you find the perfect machine for your demand.

PLOUGH TECHNIQUE

- Eurostar:** 2 - 6 furrows, mec. adjustment in width
- Titan:** 3 - 6 furrows, hydraulic adjustment in width
- Taurus:** 5 - 9 furrows, reversible plough, hydraulic adjustment in width




POWER HARROWS

- Aress:** 2,5 – 3,0 m working width
- Orbit:** 2,5 – 3,0 m working width
- KSE:** 5,0 – 6,0 m working width



SEEDING TECHNIQUE

- Seedstar RSM:** mechanical seeding machine
- RSM 252:** 2,5 m working width with drift shares or double seed plates (DS)
- RSM 312:** 3,0 m working width with double seed plates (DS)



Front-Cutter

- Front-Cutter:** 3,0 m working width



Front-ring roller

- Front-ring roller:** 2,5 – 3,0 m working width



„OUR VOLUMINOUS OFFER IN SOIL CULTIVATION AND SEEDING TECHNIQUE AND THE EXCEPTIONAL FLEXIBILITY IN EQUIPMENT, ENABLES TO MEET THE REQUIREMENTS OF OUR CUSTOMERS!“

Karl Manaberg, sales Manager

**OUR KNOW-HOW –
YOUR ADVANTAGE.**


ROTATING DISC CULTIVATOR

- Orkan:** 3,0 – 6,0 m working width



CULTIVATOR

- Tukan MSG 3 beams,**
2,5 – 5,5 m working width
- non-stop** 2,7 – 4,5 m working width
- Tukan DSG 4 beams,**
3,0 – 4,5 m working width
- Tukan VFG 4 beams with Square spiral spring tine,**
3,0 m working width



FINECULTIVATOR

- Terrakan:** 3,0 – 6,0 m working width



SEEDBED COMBINATION

- Terrastar:** 4,4 – 8,0 m working width



YOUR SATISFACTION
IS OUR JOB!



DISCOVER MORE FROM
THE WORLD OF REGENT:



Regent Pflugfabrik GmbH
Bahnhofstr. 105
4800 Attnang-Puchheim
Austria



Tel. +43 7674 62661
Fax. +43 7674 62207
info@regent.at
www.regent.at

